



## Safety data sheet

according to 1907/2006/EC, Article 31

Version: 1.00  
Printing date: 25.11.2020  
Revision: 17.11.2020  
Trade name: VEKAPRO EasySpray  
Article number: 146.127.200.000

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name: VEKAPRO EasySpray  
Article number: 146.127.200.000  
UFI: TNE4-H06Q-K00H-6MPP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

##### Product category

PC24 Lubricants, greases, release products

##### Application of the substance / the mixture

Anticorrosion additive

Lubricant

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

VEKA AG  
Dieselstraße 8  
D - 48324 Sendenhorst  
Telefon: +49 2526 29 0  
Telefax: +49 2526 29 3710  
Deutschland

##### Further information obtainable from:

E-Mail: vekapro@veka.com

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Version: 1.00  
Printing date: 25.11.2020  
Revision: 17.11.2020  
Trade name: VEKAPRO EasySpray  
Article number: 146.127.200.000



**1.4. Emergency telephone number:**

Germany: +49 (0) 89 19240 (Emergency Phone Munich)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Aerosol 1 H222-H229 Extremely flammable aerosol.

Pressurised container: May burst if heated.

**2.2. Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS02

**Signal word:** Danger

**Hazard statements:**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

**Precautionary statements:**

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P271 Use only outdoors or in a well-ventilated area.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

**Buildup of explosive mixtures possible without sufficient ventilation.**

**2.3. Other hazards**

**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Description:** Formulation consisting of pressurised gas and mineral oil with additives in petroleum distillate

**Dangerous components:**

EC No 926-141-6 Reg.nr.: 01-2119456620-43-xxxx	<b>Hydrocarbons</b> , C11-C14, n-alkanes, isoalkanes, cyclics, < 2%aromatics Alternative CAS number: 64742-47-8 Asp. Tox. 1, H304	25-< 50 %
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27-xxxx	<b>White mineral oil, petroleum</b> Asp. Tox. 1, H304	25-< 50 %
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	<b>butane</b> Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-< 10 %
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	<b>propane</b> Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-< 10 %
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	<b>isobutane</b> Flam. Gas 1A, H220; Press. Gas (Comp.), H280	1-< 3 %
CAS: 1474044-79-5 EG-Nr. 939-717-7 Reg.nr.: 01-2119980985-16-xxxx	<b>calcium bis (di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)</b> Alternative CAS number: 57855-77-3 Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-< 3 %

## Safety data sheet

according to 1907/2006/EC, Article 31

Version: 1.00  
Printing date: 25.11.2020  
Revision: 17.11.2020  
Trade name: VEKAPRO EasySpray  
Article number: 146.127.200.000



CAS: 110-25-8 EINECS: 203-749-3 Reg.nr.: 01-2119488991-20-xxxx	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine Eye Dam. 1, H318;  Aquatic Acute 1, H400; Acute To x. 4, H332; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	< 1 %
CAS: 128-37-0 EINECS: 204-881-4 Reg.nr.: 01-2119565113-46-xxxx	2,6-Di-tert-butyl-p-kresol Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 0,25 %

### Additional information:

For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information:** Take affected persons out into the fresh air. Remove soiled clothing.

**After inhalation:** Supply fresh air. In the event of irritation of the respiratory tract, dizziness, nausea or unconsciousness, call medical assistance immediately.

**After skin contact:** Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** Do not induce vomiting; call for medical help immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Breathing difficulty, Headache, Drowsiness, Nausea

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing agents:** Foam, Carbon dioxide, Fire-extinguishing powder, Water haze

**For safety reasons unsuitable extinguishing agents:** Water with full jet

### 5.2. Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

In case of fire, the following can be released: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>) Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)

### 5.3. Advice for firefighters

#### Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment.

#### Additional information:

Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources. Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

### 6.2. Environmental precautions:

Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water.

### 6.3. Methods and material for containment and cleaning up:

Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

### 6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Version: 1.00  
 Printing date: 25.11.2020  
 Revision: 17.11.2020  
 Trade name: VEKAPRO EasySpray  
 Article number: 146.127.200.000



**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace. Buildup of explosive mixtures possible without sufficient ventilation. When using product on electrical parts disconnect them from power supply first. Before re-assembly, let dry for 2 minutes.

**Information about fire – and explosion protection:**



Keep ignition sources away – Do not smoke.  
 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.  
 Do not spray onto a naked flame or any incandescent material. Highly volatile, flammable constituents are released during processing. Protect against electrostatic charges.

**7.2. Conditions for safe storage, including any incompatibilities Storage:**

**Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor. Observe official regulations on storing packagings with pressurised containers.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** Store receptacle in a well ventilated area. Protect from heat and direct sunlight. Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting. Recommended storage temperature: 20 °C.

**7.3. Specific end use(s)**

No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

<b>Hydrocarbons, C11–C14, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</b>	
RCP-TWA (EU)	Long-term value: 1200 mg/m <sup>3</sup> , 165 ppm Vapour / Total Hydrocarbons
<b>CAS: 106-97-8 butane</b>	
WEL (Great Britain)	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm Carc (if more than 0.1% of buta-1.3-
<b>CAS: 128-37-0 2,6-di-tert-butyl-p-cresol</b>	
WEL (Great Britain)	Long-term value: 10 mg/m <sup>3</sup>

**Regulatory information** WEL (Great Britain): EH40/2020

<b>DNELs</b>		
<b>CAS: 8042-47-5 White mineral oil, petroleum</b>		
Oral	DNEL	40 mg/kg (consumer) (long-term exposure - systemic effects)
Dermal	DNEL	92 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
		220 mg/kg bw/day (worker) (long-term exposure - systemic effects)
Inhalativ	DNEL	35 mg/m <sup>3</sup> (consumer) (long-term exposure - systemic effects)
		160 mg/m <sup>3</sup> (worker) (long-term exposure - systemic effects)
<b>CAS: 1474044-79-5 calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)</b>		
Dermal	DNEL	10 mg/kg (worker) (longterm systematic effects)
Inhalativ	DNEL	5 mg/m <sup>3</sup> (worker) (longterm systematic effects)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Version: 1.00  
 Printing date: 25.11.2020  
 Revision: 17.11.2020  
 Trade name: VEKAPRO EasySpray  
 Article number: 146.127.200.000



**CAS: 110-25-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine**

Oral	DNEL	92 mg/kg (consumer) (acute systematic effects)
	DNEL	5 mg/kg (consumer) (longterm systematic effects)
Dermal	DNEL	50 mg/kg (consumer) (acute systematic effects) 10 mg/kg (worker) (longterm systematic effects)
	DNEL	5 mg/kg (consumer) (longterm systematic effects) 100 mg/kg (worker) (acute systematic effects)
Inhalative	DNEL	9 mg/m <sup>3</sup> (consumer) (acute locale effects) 18 mg/m <sup>3</sup> (worker) (acute locale effects)
	DNEL	0,005 mg/m <sup>3</sup> (consumer) (longterm local effects) 0,01 mg/m <sup>3</sup> (worker) (longterm local effects)
	DNEL	0,1 mg/m <sup>3</sup> (consumer) (longterm systematic effects) 0,2 mg/m <sup>3</sup> (worker) (longterm systematic effects)

**CAS: 128-37-0 2,6-di-tert-butyl-p-cresol**

Oral	DNEL	0.25 mg/kg bw/day (vls)
Dermal	DNEL	0.25 mg/kg (vls) 0.5 mg/kg (wls)
Inhalativ	DNEL	0.86 mg/m <sup>3</sup> (vls) 3.5 mg/m <sup>3</sup> (wls)

**PNECs**

**CAS: 1474044-79-5 calcium bis(di C8-C10, branched, C9 rich, alkyl)naphthalenesulphonate)**

Oral	PNEC	22,2 mg/kg food (human)
	PNEC	10 mg/l (KS) 0.004 mg/l (water (fresh water)) 0,0004 mg/l (water (sea water))
	PNEC	69 mg/kg (sediment (fresh water)) 6,9 mg/kg (sediment (sea water)) 13,9 mg/kg (soil)

**CAS: 110-25-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine**

PNEC	0,0043 mg/l (sporadic release) 0,00043 mg/l (water (fresh water)) 0,000043 mg/l (water (sea water))
------	---

**CAS: 128-37-0 2,6-di-tert-butyl-p-cresol**

PNEC	0.17 mg/l (sewage plant) 0,0002 mg/l (freshwater (Süßwasser)) 0,00002 mg/l (sediment (sea water))
PNEC	0.0477 mg/kg (gro) 0,0996 mg/kg (sediment (sea water))

**Additional information:**

The lists valid during the making were used as basis.

**8.2. Exposure controls**

**GSuitable technical control devices:**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

**Personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed.

**Respiratory protection:** Not required in normal cases

If the occupational exposure limit is exceeded:

The following breathing protection is recommended:

Respiratory filter for organic gases and vapours (Type A)

Identification colour: Brown

DIN EN 14387]

**Protection of hands:** Protective gloves

**Material of gloves:** Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

**Penetration time of glove material:** Value for the permeation: Level 6 (≥480min)

**Eye protection:** Not required in normal cases.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Version: 1.00  
Printing date: 25.11.2020  
Revision: 17.11.2020  
Trade name: VEKAPRO EasySpray  
Article number: 146.127.200.000



**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Aerosol

**Colour:** brown-opaque

**Odour:** Solvent-like

**Odour threshold:** Not determined.

**pH-value:** Not applicable.

**Change in condition**

**Melting point/freezing point:** Undetermined.

**Initial boiling point and boiling range:** 180 - 270 °C (Active ingredient data )

**Flash point:** 85 °C (DIN 51758)

**Flammability (solid, gas):** Not applicable.

**Decomposition temperature:** Not determined.

**Auto-ignition temperature:** Not determined.

**Explosive properties:** In use, may form flammable/explosive vapour-air mixture.

**Explosion limits:**

**Lower:** 0.6 Vol % (Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics,  
< 2% aromatics) ,5 Vol.% (Propellant data)

**Upper:** 7 Vol % (Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics)  
10,9 Vol.% (Propellant data)

**Vapour pressure:** Not determined.

**Density at 20 °C:** 0.84 - 0.85 g/cm<sup>3</sup>

**Relative density** Not determined.

**Vapour density** Not determined.

**Evaporation rate** Not determined.

**Solubility in / Miscibility with**

**water:** Not miscible or difficult to mix.

**Partition coefficient:** n-octanol/water: Not determined.

**Viscosity:**

**Flow time at 23 °C** 40-50 s (DIN EN ISO 2431/3mm)  
(Active ingredient data )

**Kinematic at 40 °C:** <20.5 mm<sup>2</sup>/s (DIN 51562)

**9.2. Other information** No further relevant information available.

No further relevant information available.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No dangerous reactions known.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Develops readily flammable gases/fumes.

**10.4. Conditions to avoid**

An increase in pressure may lead to bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Do not pierce or burn, even after use. Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

**10.5. Incompatible materials:**

strong oxidizing agents

**10.6. Hazardous decomposition products**

No dangerous decomposition products known.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Version: 1.00  
 Printing date: 25.11.2020  
 Revision: 17.11.2020  
 Trade name: VEKAPRO EasySpray  
 Article number: 146.127.200.000



**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

There are no toxicological findings on this mixture.

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**Hydrocarbons, C11–C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/8h	>5,000 mg/m <sup>3</sup> (rat) (OECD 403)

**CAS: 8042-47-5 White mineral oil, petroleum**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 d	>5,200 mg/l (rat)

**CAS: 1474044-79-5 calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)**

Oral	LD50	>2,500 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)

**CAS: 110-25-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine**

Oral	LD50	5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (Ratte) (OECD 420)
Inhalative	LC50/4 h	1.37 mg/m <sup>3</sup> (rat) 1,8 mg/m <sup>3</sup> (Ratte) (OECD 403)

**CAS: 128-37-0 2,6-di-tert-butyl-p-cresol**

Oral	LD50	>5,000 mg/kg (rat) (OECD-Prüfrichtlinie 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD-Prüfrichtlinie 402)

**Primary irritant effect:**

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.

**Repeated dose toxicity**

**CAS: 1474044-79-5 calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)**

Oral	NOAEL 90 d	100 mg/kg (rat) (OECD 408, 90d, target organ: liver)
------	------------	--

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

**Germ cell mutagenicity:**

Based on available data, the classification criteria are not met.

**Carcinogenicity:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity:**

Based on available data, the classification criteria are not met.

**STOT-single exposure:**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**Aspiration hazard:**

Based on available data, the classification criteria are not met.

**Sicherheitsdatenblatt**  
gemäß 1907/2006/EG, Artikel 31

Version: 1.00  
Druckdatum: 25.11.2020  
Überarbeitet am: 19.11.2020  
Handelsname: VEKAPRO DailyClean  
Artikel-Nr.: 146.126.100.000



**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no ecotoxicological data available on this mixture.

**Aquatic toxicity:**

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

LLO 96 h	1.000 mg/l (Oncorhynchus mykiss)
ELO 48 h	1.000 mg/l (Daphnia magna)
ELO 72 h	1.000 mg/l (Pseudokirchneriella subcapitata)

**CAS: 8042-47-5 White mineral oil, petroleum**

	> 100 mg/l (fish)
LC50/96 h	> 100 mg/l (daphnia)
EC50/48 h	≥ 100 mg/l (fish) (96 h)
NOEC/NOEL	≥ 100 mg/l (Algen) (72 h)
	≥ 100 mg/l (daphnia) (48 h)

**CAS: 106-97-8 butane**

LC50/96 h	27.98 mg/l (fish)
EC50/4 d	7.71 mg/l (algae)

**CAS: 74-98-6 propane**

LC50/96 h	27.98 mg/l (fish)
EC50/96 h	7.71 mg/l (algae)

**CAS: 75-28-5 isobutane**

LC50/96 h	27.98 mg/l (fish)
EC50/4 d	7.71 mg/l (algae)

**CAS: 1474044-79-5 calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)**

Inhalativ	LC50/1	>9 mg/L (rat)
	LC50/96 h	>0.28 mg/l (fish)
	NOEL 21 d	2.2-10 mg/l (daphnia)
	EC50	>0.27 mg/l (daphnia)
	EC50/48 h	>0.27 mg/l (daphnia)
	IC50/48 h	>0.27 mg/l (daphnia)
	NOEC/72 h	>0.27 mg/l (algae)

**CAS: 110-25-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine**

LC50/96 h	6.8 mg/l (fish)
EC20/0.5 h	50 mg/l (activated sludge)
EC50/48 h	0.43 mg/l (Daphnia magna)
EC50/72 h	6.3 mg/l (Scenedesmus subspicatus)
	0.91 mg/l (Desmodesmus subspicatus) (OECD 201)

**CAS: 128-37-0 2,6-di-tert-butyl-p-cresol**

LC50/96 h	0.758 mg/l (algae)
LC50/96 h	0.199 mg/l (fish)
EC50/48 h	0.48 mg/l (Daphnia magna)
NOEC/21 d	0.053 mg/l (Oryzias latipes)
	0.069 mg/l (Daphnia magna)

**12.2. Persistence and degradability**

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

Biodegradation	69 % (28 d)
----------------	-------------

**CAS: 8042-47-5 White mineral oil, petroleum**

Biodegradation	>60 % (28d (OECD 301B))
----------------	-------------------------

**CAS: 110-25-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine**

CSB	2,400 mg/g
Biodegradation	85 % (OECD 301 B Ready Biodegradability -. CO2 Evolution)

**12.3. Bioaccumulative potential**

**CAS: 1474044-79-5 calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)**

BCF	3.16
log POW	> 6.6 log POW

**CAS: 110-25-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine**

log POW	3.5-4.2 log POW
---------	-----------------



## Safety data sheet

according to 1907/2006/EC, Article 31

Version: 1.00  
Printing date: 25.11.2020  
Revision: 17.11.2020  
Trade name: VEKAPRO EasySpray  
Article number: 146.127.200.000

### 12.4. Mobility in soil

No further relevant information available..

### 12.5. Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: **Not applicable**

### 12.6. Other adverse effects

No further relevant information available.

## ASECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

Disposal / product + Disposal / contaminated packaging

15 01 10*	packaging containing residues of or contaminated by hazardous substances
-----------	--

## SECTION 14: Transport information

### 14.1. UN-Number

ADR, IMDG, IATA UN1950

### 14.2. UN proper shipping name

ADR 1950 AEROSOLS  
IMDG AEROSOLS  
IATA AEROSOLS, flammable

### 14.3. Transportgefahrenklassen

ADR, ADN, IMDG, IATA



Class 2 5F Gases  
Label 2.1

### IMDG, IATA



Class 2.1  
Label 2.1

### 14.4. Packing group

ADR, IMDG, IATA Void

### 14.5. Environmental hazards:

Marine pollutant: No

### 14.6. Special precautions for user

see Sections 6-8  
Warning: Gases

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

#### Transport/Additional information:

ADR  
Limited quantities (LQ) 1L  
Transport category 2  
Tunnel restriction code D  
UN „Model Regulation“: UN 1950 AEROSOLS, 2.1

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Directives:**  
EEC/1907/2006 (REACH)  
EC/1272/2008 (CLP)  
EC/648/2004

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.

### 15.2. Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Version: 1.00  
Printing date: 25.11.2020  
Revision: 17.11.2020  
Trade name: VEKAPRO EasySpray  
Article number: 146.127.200.000



**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H220 Extremely flammable gas.  
H280 Contains gas under pressure; may explode if heated.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Classification according to Regulation (EC) No 1272/2008**

Aerosols	On basis of test data
----------	-----------------------

**Abbreviations and acronyms:**

**RID:** Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

**NOEL = No Observed Effect Level**

**NOEC = No Observed Effect Concentration**

**LC = letal Concentration**

**EC50 = half maximal effective concentration**

**log POW = Octanol / water partition coefficient**

**GHS:** Globally Harmonized System of Classification and Labelling of Chemicals

**ATE:** acute toxicity estimate

**ADR:** Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

**IMDG:** International Maritime Code for Dangerous Goods

**IATA:** International Air Transport Association

**EINECS:** European Inventory of Existing Commercial Chemical Substances

**ELINCS:** European List of Notified Chemical Substances

**CAS:** Chemical Abstracts Service (division of the American Chemical Society)

**DNEL: Derived No-Effect Level (REACH)**

**PNEC:** Predicted No-Effect Concentration (REACH)

**LC50:** Lethal concentration, 50 percent

**LD50:** Lethal dose, 50 percent

**IOELV =** indicative occupational exposure limit values

**Flam. Gas 1A:** Flammable gases – Category 1A

**Aerosol 1:** Aerosols – Category 1

**Press. Gas (Comp.):** Gases under pressure – Compressed gas

**Acute Tox. 4:** Acute toxicity – inhalation – Category 4

**Skin Irrit. 2:** Skin corrosion/irritation – Category 2

**Eye Dam. 1:** Serious eye damage/eye irritation – Category 1

**Eye Irrit. 2:** Serious eye damage/eye irritation – Category 2

**Asp. Tox. 1:** Aspiration hazard – Category 1

**Aquatic Acute 1:** Hazardous to the aquatic environment – acute aquatic hazard – Category 1

**Aquatic Chronic 1:** Hazardous to the aquatic environment – long-term aquatic hazard – Category 1

**Aquatic Chronic 3:** Hazardous to the aquatic environment – long-term aquatic hazard – Category 3

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Version: 1.00  
Printing date: 25.11.2020  
Revision: 17.11.2020  
Trade name: VEKAPRO EasySpray  
Article number: 146.127.200.000